BRENDON POWERWASHERS®

BUILT TO LAST... DESIGNED TO PERFORM

BUILT TO LAST

A FAMILY BUSINESS SINCE 1979



POWERWASHERS.CO.UK

INDEX

02-03 ABOUT & HISTORY
04-05 MANUFACTURING
06-07 FEATURES & BENEFITS
08-09 POWERWASHER RANGE
10-11 CARRY FRAME
12-13 MOBILE ELECTRIC
14-15 MOBILE ENGINE
16-17 MINI BOWSERWASHER
18-19 ULTRA HIGH PRESSURE
20-21 TRAILER RANGE
22-23 BOWSERWASHERS
24-25 HOT BOWSERWASHERS
26-27 QUIET BOWSERWASHERS
28-29 ELECTRIC BOWSERWASHERS
30-31 BOWSERWASHER JETTER
32-33 ULTRA HIGH BOWSERWASHERS
34-35 BOWSER
36-37 FIRE BOWSERWASHER
38-39 BOWSERWASHER ATTACHMENTS
40-41 DUST SUPPRESSION
42-43 ACCESSORIES
44 CONTAINER PACKAGES





ABOUT & HISTORY

The company has grown steadily over the past 40 years and is now one of the larger employers in Wiveliscombe. In the UK, Brendon is a leading Brand in the Construction and Rental Markets. These are very competitive and demanding sectors. It is important that companies invest in the most robust, reliable and feature benefit products available for their customers.

Brendon has been specified in many major construction projects over the past decades – These including the Translink Channel Tunnel, London Underground, and more recently on the Heathrow Terminal 5 Project. The company is now the preferred supplier to most of the UK leading rental companies.



1979 - THE START

In the late 1970s, Hugh Hendy was asked to supply a diesel-powered power washer. Working with his father, Robert Hendy developed a functional, portable, and durable design, while Chris Hendy focused on sales and marketing. Today, Brendon Powerwashers remains a trusted family business, with Robert and Chris as Joint Managing Directors.

1984 - FIRST EXHIBITION

Brendon Powerwashers attend their first exhibition, something that would be continued for the next 40 years and beyond as we continue to show our products at construction and trade shows worldwide.

1995 - FIRST EXPORT

The first of many large exports overseas, we continue to export our products across the United Kingdom, throughout Europe, The middle east and even Australia.

2020 - FACILITY INCREASE

Brendon Expands facilities and increases emphasis on having our products manufactured in the UK, with our own moulding, powder coating, R&D, fabrication and assembly on site.

2023 - AUSTRALIA

Brendon reach extends with close Partnerships in Australia and New Zealand, with Brendon dust supression products being used for the Sydney Metro Tunnel Construction.



MANUFACTURING

The name of the company originates from the companies location, the Brendon Hills, where we are located to this very day. We are proud to have our powerwashers made and manufactured in the United Kingdom. To help with this, we have many facilities on our site so everything that goes into our machines is done on site by our dedicated team of staff.

We produce powerwashers that are functional, easy to use, portable, and very durable. Hence the slogan "Built to Last, Designed to Perform" – which dates back to the very beginning in the Brendon marketing.



R&D

Machines specifically designed to suit the job perfectly.

FABRICATION

Heavy duty tubular chassis, and steel parts by our welders.

POWDER COATING

In house powder coating giving the customer choice of colours on all steel & Aluminium parts.

MOULDING

State of the art rotational moulding for our bowser tanks and plastic welding.

ASSEMBLY

All of our powerwashers are assembled on our build line by our own staff in the United Kingdom.



FEATURES & BENEFITS

The Triple Piston CAT Pump offers unparalleled durability and performance with its heavy-duty triple piston design, ensuring reliable operation for demanding tasks. The Live Hose Reel features Brendon's innovative design, equipped with a stainless steel center shaft and rotary union for seamless operation. Protected by a Steel Frame Canopy with a UV-resistant Polypropylene cover, the pump and valves are shielded from harsh environmental elements, enhancing longevity. Built for rugged environments, the Tubular Chassis provides a robust and protective framework available in customisable colour options.

The Industrial Drive System employs a heavy-duty 2:1 V-belt drive, enabling efficient pump operation for enhanced durability and suction capabilities. With Direct or Suction Feed, the unit comes equipped with a 4.5m suction hose and a Brendon-protected stainless steel suction strainer, delivering exceptional water suction performance. The Thermo Sensor Valve provides vital protection, preventing overheating when the trigger remains idle for extended periods. The Stainless Steel Lance includes a heavy-duty interchangeable trigger and lance, with an optional turbo nozzle for added versatility. We are also able to supply genuine spare parts through our online store to ensure our dedication to repair.



CAT PUMP

We use the durable CAT Pump on our power washers and bowserwashers to ensure the highest quality performance possible.

IN YOUR COLOURS

Our in house powder coating facilities give the customers choice of colours on all Steel & Aluminium parts.

GENUINE PARTS

Genuine spare parts for all of our machines available on our online store or by contacting us.

WATER SUCTION

Capable of water suction from rivers, lakes, barrels and more, with 4.5m Quality Suction Hose and Brendon Protective Stainless Steel Suction Strainer on our Brendon Mobile Range.


BELT DRIVE

Industrial drive system with heavy duty 2:1 V-belt drive enabling the pump to run efficiently, Improving durability and suction.

BRENDON
POWERWASHERS RANGE

The company's expertise is dedicated to the design of rugged, high performance Powerwashers for the most demanding of industrial cleaning applications from cleaning construction plants to graffiti removal. Choose from a diverse range of Brendon Powerwashers models ranging from electric, petrol or diesel with pressures from 1000 – 7000 Psi. Made and Manufactured in the United Kingdom.













CARRY FRAMES

Engineered for portability, the Brendon carry frame redefines the standards of efficiency and effectiveness. Perfect if you're a homeowner, a gardening enthusiast, or an industrial professional, our portable 2000 PSI carry frames are designed to cater to all your cleaning needs.

ELECTRIC MOBILES

Our range of electric powerwashers, with pressures from 950 PSI to a powerful 7000 PSI, ensures that you have the perfect solution for all your cleaning needs. Whenever you're tackling light-duty cleaning tasks, washing your car, or tidying up your garden and grounds, our electric power washers deliver exceptional performance with ease.

ENGINE MOBILES

The Brendon Powerwasher range of mobile power washers, available in both as a diesel or petrol powerwasher to suit your specific needs. Whether you're a professional cleaner, a homeowner tackling tough outdoor messes like garden care and agricultural cleaning, or a business looking to maintain a pristine finish, our mobile power washers deliver cleaning power,

MINI BOWSERWASHER

Brendon Powerwashers Mini Bowserwasher, the compact powerwasher is designed to deliver robust performance while simultaneously in a conveniently small package. It is the ideal choice for a variety of cleaning tasks. With its 125-litre tank capacity, the Mini Bowserwasher provides up to 15 minutes of mobile cleaning time on a single tank, giving you the flexibility to clean larger areas while having less interruptions.

BOWSERWASHERS

Our flagship product, the Brendon Bowserwasher, is a game-changer in the industry, offering cutting-edge technology, durability, and performance that redefine the standards of modern powerwashers, with our range of diesel and petrol bowserwashers. These road legal trailers provide a steady and ample water supply of 940 litres, extending your cleaning time without the need for frequent refills. Efficiency is at the core of our design, allowing you to focus on the task at hand without interruptions.

United Kingdom Design No. 90002354290001
Community Design No. 000235429-0001/3

BRENDON

CARRY FRAMES

2000 PSI / 140 BAR @ 13.2LPM / 2.9 GPM

Full Spec

Get Quote



FEATURES

- **Triple Piston CAT Pump - Heavy duty triple piston direct drive CAT Pump.**
- **Portable Under 34KG - Mounted in a heavy duty frame, compact and portable.**
- **Honda Petrol Engine with Oil Alert - Honda GX200 petrol engine with low oil alert as standard.**
- **Lightweight & Strong Tubular Frame - Protective heavy-duty tubular chassis in your colours.**
- **Direct or Suction Feed - 4.5m of suction hose fitted with a Brendon protected stainless steel suction strainer for excellent water suction capability.**
- **Adjustable Pressure - Simple throttle control for pressure regulation.**
- **Integrated Detergent System - Adjustable valve to enable a metered detergent system.**
- **Optional Trolley Kit - Increased mobility with the quick release detachable trolley – Available online**



Specifications	20KPS
Max Pressure:	140 BAR / 2000 PSI
Flow Rate:	2.9 GPM / 13.2 LPM
Drive:	Industrial 2:1 Gearbox
Pump:	CAT Pump
Engine:	Honda Petrol with pull start & low oil alert
Suction Hose:	4.5m of 1/2"
Delivery Hose:	10m Double Braided
Weight:	34kg
Dimensions (LxWxH)	56 x 38 x 48cm



TROLLEY KIT

The Carry Frame Trolley kit makes it simple to attach your Brendon Carry Frame, making mobility even easier so you can transport your washer to where you need it.

24Kg
L 100cm x W 66cm x H 90cm



BRENDON
MOBILE ELECTRIC

950 PSI / 66 BAR - 3000 PSI / 207 BAR

Full Spec

Get Quote







FEATURES

- **Versatile Pressure Range: 1000 PSI (10KEL) to 3000 PSI (30KE-AS) for any cleaning need.**
- **Unique Hose Reel Design: Top-mounted reel prevents tangles and simplifies storage. (20KE/30KE)**
- **Compact and Mobile: Lightweight for easy transport and storage.**
- **Integrated Detergent System - Adjustable valve to enable a metered detergent system.**
- **Direct or Suction Feed - 4.5m of suction hose fitted with a Brendon protected stainless steel suction strainer for excellent water suction capability. (Optional 10KEL,14KEL)**









Specifications	10KEL (110v)	14KEL (240v)	20KE (415v)	30KE-AS (415v)
Max Pressure:	66 BAR / 950 PSI	100 BAR / 1450 PSI	150 BAR / 2200 PSI	207 BAR / 3000 PSI
Flow Rate:	2.5 GPM / 11.4 LPM	2.5 GPM / 11.4 LPM	3.3 GPM / 15 LPM	3.8 GPM / 16 LPM
Drive:	Direct Drive	Direct Drive	Direct Drive	Direct Drive
Pump:	CAT Pump	CAT Pump	CAT Pump	CAT Pump
Suction Hose:	Optional Extra	Optional Extra	4.5m	4.5m
Delivery Hose:	8m Double Braided	8m Double Braided	15m Double Braided	15m Double Braided
Weight:	58.5kg	61.5kg	84kg	155.5kg
Dimensions: (LxWxH)	100 x 50 x 65cm	100 x 50 x 65cm	100 x 72 x 80cm	100 x 72 x 80cm

BRENDON
MOBILE ENGINE

2000 PSI / 140 BAR - 3500 PSI / 240 BAR

Full Spec

Get Quote







FEATURES

- **Fuel Options: Choose between diesel or petrol models for flexibility, with petrol offering convenience and diesel providing fuel efficiency and longevity.**
- **Portability: Features ergonomic designs and puncture-proof wheels (on 20KPE, 20KLN+ES, 30KLN+ES, and 35KPE+ES models) for easy mobility.**
- **Unique Hose Reel Design: Top-mounted reel prevents tangles and simplifies storage.**
- **Adjustable Pressure - Simple throttle control for pressure regulation.**
- **Direct or Suction Feed - 4.5m of suction hose fitted with a Brendon protected stainless steel suction strainer for excellent water suction capability.**
- **Integrated Detergent System - Adjustable valve to enable a metered detergent system.**
- **Durability: Built with robust materials to handle regular use in residential, commercial, and industrial applications.**









Specifications	20KPE	20KLN+ES	30KLN+ES	35KPE+ES
Max Pressure:	140 BAR / 2000 PSI	124 BAR / 1800 PSI	207 BAR / 3000 PSI	240 BAR / 3500 PSI
Flow Rate:	2.9 GPM / 13.2 LPM	2.9 GPM / 13.2 LPM	3.3 GPM / 16 LPM	3.3 GPM / 16 LPM
Engine:	Petrol Honda	Diesel Yanmar	Diesel Yanmar	Petrol Honda
Drive:	Industrial Gearbox	Industrial Gearbox	Triple V-belt	Triple V-belt
Pump:	CAT Pump	CAT Pump	CAT Pump	CAT Pump
Suction Hose:	4.5m	4.5m	4.5m	4.5m
Delivery Hose:	10m Double Braided	10m Double Braided	15m Double Braided	15m Double Braided
Weight:	67kg	85kg	150kg	133kg
Dimensions: (LxWxH)	100 x 60 x 80cm	100 x 75 x 80cm	110 x 75 x 80cm	105 x 70 x 80cm


BRENDON

MINI BOWSERWASHER

2000 PSI / 140 BAR - 1800 PSI / 124 BAR

Full Spec

Get Quote



Detachable Powerwasher

Effortlessly detach the power washer carry frame for easy servicing and transport.







FEATURES

- *Compact Design: Engineered for portability and easy storage, making it convenient to transport and use anywhere.*
- *Large Tank Capacity: 125-litre tank allows for extended cleaning sessions without frequent refills.*
- *Mobile Cleaning Time: Up to 15 minutes of mobile cleaning time per tank for uninterrupted cleaning of larger areas.*
- *Powerful Performance: Pressure range of 1800-2000 PSI (124-140 BAR) ensures effective cleaning on various surfaces.*
- *Versatile Application: Suitable for driveways, decks, vehicles, and more. Ideal for homeowners, hire companies, and industrial cleaning professionals.*
- *Ideal for Low-Pressure Water Areas or Hard-to-Reach Areas: Designed to perform effectively in areas with low water pressure or challenging locations.*







Specifications	MBWT20KPS	MBW20KDSB	MBW20KLN+ES
Max Pressure:	140 BAR / 2000 PSI	124 BAR / 1800 PSI	124 BAR / 1800 PSI
Flow Rate:	2.2 GPM / 10 LPM	2.2 GPM / 10 LPM	2.2 GPM / 10 LPM
Engine:	Honda Petrol	Yanmar Diesel	Yanmar Diesel
Drive:	Industrial Gearbox	Industrial Gearbox	Industrial Gearbox
Pump:	CAT Pump	CAT Pump	CAT Pump
Tank:	125 litre	125 litre	125 litre
Delivery Hose:	10m Double Braided	10m Double Braided	10m Double Braided
Weight:	120kg	130kg	140kg
Dimensions: (LxWxH)	165 x 80 x 100cm	165 x 80 x 100cm	165 x 80 x 100cm



BRENDON ULTRA HIGH

5000 PSI / 350 BAR - 7350 PSI / 500 BAR

Full Spec ***Get Quote***



FEATURES

- ***Triple Piston Pump: Heavy-duty triple piston Speck or Hawk pump options.***
- ***Live Hose Reel: Unique Brendon live hose reel with stainless steel reel centre shaft and rotary union.***
- ***Tubular Chassis: Robust protective tubular frame available in a choice of colours.***
- ***2:1 Gearbox: Heavy-duty 2:1 gearbox drive allows the pump to run slower, improving durability and suction.***
- ***Suction Feed (Speck Pump Only): Includes 4.5m of suction hose with a Brendon stainless steel suction strainer for excellent water suction capability.***
- ***Electric Key Start: Honda V-Twin***
- ***Adjustable Pressure: Features a simple throttle control for pressure regulation (50KPE-VT, 70KPE-VT) and a panel-mounted gauge for monitoring pressure readings.***
- ***Detergent System: Canopy-mounted detergent valve enables a metered detergent system.***
- ***Thermo Sensor Valve: Protects the pump from overheating during idle periods.***



Specifications	50KPE-VT	70KPE-VT	50KE-AS	70KE-AS
Max Pressure:	350 BAR / 5000 PSI	500 BAR / 7350 PSI	350 BAR / 5000 PSI	500 BAR / 7000 PSI
Volume:	3.5 GPM / 16 LPM	3.5 GPM / 16 LPM	3.1 GPM / 15 LPM	3.1 GPM / 15 LPM
Pump:	CAT Pump	Inter Pump Or Speck Pump	CAT 700	Speck NP25/1500/15
Engine:	Honda GX630 Petrol	Honda GX630 V-twin Petrol	415v 3ph - 7.5kw	415v 3ph - 11kw
Drive:	Industrial gearbox drive	Industrial gearbox drive	Direct Omega Coupling	Direct Omega Coupling
Suction Hose:	4.5m of 3/4"	4.5m of 3/4"	4.5m of 3/4"	4.5m of 3/4"
Delivery Hose:	30m (optional 50m)	30m (optional 50m)	20m 3/8" 500 Bar	20m 3/8" 500 Bar
Weight:	175kg	180kg	258kg	278kg
Dimensions: (LxWxH)	117 x 95 x 107cm	117 x 95 x 107cm	130 x 90 x 112cm	130 x 90 x 112cm

BRENDON TRAILER RANGE



BOWSERWASHER

Durable and high-performance diesel and petrol bowserwashers, designed for industrial cleaning. With pressure options from 1800 PSI to 7000 PSI (140–500 Bar), they handle tasks from light-duty cleaning to heavy-duty industrial jobs. The water bowser trailer ensures portability and a continuous water supply, with an option of additional accessories.



ULTRA HIGH

The 7000 PSI (500 BAR) Honda V-Twin Petrol mobile gives you the usual Brendon performance but with added pressure designed for more challenging environments. These include working with concrete and its removal, the marine industry, surface preparation, drain jetting and general construction and building.



FIRE FIGHTING

These Fire Fighting Trailers are built to last, easily transportable, and incredibly powerful, capable of carrying close to 1000 litres of water for swift fire suppression. Packed with fire-safe features like a self-priming pump and push-button start, and equipped with a 30m Fire Hose-Reel Kit, you can swiftly extinguish fires before they have a chance to spread. Also for use as a regular bowserwasher.



HOT WATER

Our worldwide patented Heater Module technology increases the machines life and dramatically reduces servicing time you would traditionally get from a hot coil burner system. The innovative rail design feature makes it easy to service your machine with little effort. The heat exchange module helps to get the water temperature to an impressive 80 Celsius for those really tough cleaning sessions.



QUIET

Our Quiet Bowserwasher is designed to operate at a hushed decibel level, ensuring a calm and noise-free cleaning process. This feature is especially beneficial for users in residential areas, allowing you to maintain a pristine environment without disturbing the peace. Our Quiet Bowser Washer is so quiet it reaches a point where it is even quieter than the nozzle you are cleaning with.



DRAIN JETTER


The machine includes a comprehensive hose and reel system, with both manual and electric reels, and is supplied with up to 90 meters of drain jetting hose and nozzles. This high-performance unit delivers an impressive 3000 PSI (207 BAR) at 36 LPM (7.9 GPM), making it perfect for tackling the toughest tasks.




ELECTRIC

The Electric Battery Bowserwasher is a cutting-edge cleaning solution designed for efficiency, versatility, and sustainability. Engineered to deliver high performance with minimal noise, it operates at a low noise level of just 82dBa at 1m, which also makes it ideal for noise-sensitive environments. With many safety features included.

DRAW BAR OPTIONS



STANDARD HITCH
Reliable ALKO Towing Draw Bar



SWAN HITCH
ALKO Adjustable Towing Draw Bar

DRAW BAR OPTIONS



RING
Towing eye available in different sizes



BALL
Towing ball hitch option

SKID OPTION

The Brendon Bowserwasher Skid is a versatile solution that can be customised to meet any Bowserwasher specification. This flexible design ensures that the skid unit is compatible with various Bowserwasher models, allowing seamless integration and adaptability.



BRENDON
BOWSERWASHER

2000 PSI / 140 BAR - 3500 PSI / 240 BAR

Full Spec

Get Quote



Demo Video

Unique Anti-Freeze System

Brendons Anti-Freeze System ensures you can take care of your machine even in the harshest of climates.







FEATURES

- **Pressure Range: Offers cleaning power from 2000 PSI to 3500 PSI**
- **(140 Bar - 240 Bar).**
- **Baffled Water Tank: 940L UV-protected polypropylene tank with 10mm thickness. On board Anti-Freeze and Chemical systems.**
- **Built To Last - Heavy-duty tubular chassis for enhanced durability.**
- **Customisable Colours - In-house powder coating providing a choice of colours for all steel parts.**
- **Engine Options: Available with Honda Petrol or Yanmar Diesel options.**
- **Start Options: Electric Start or Recoil Start options available.**
- **Hitch Types: Available with 50mm Ball or 40mm Ring Hitch.**
- **Option: Alko Adjustable Swan Hitch with 50mm Ball and 68mm Ring Hitch.**
- **Road Legal: Fully road-legal across the UK, EU, Australia.**









Specifications	BBW20KLN+ES	BBW20KPE	BBW30KLN+ES	BBW35KPE+ES
Max Pressure:	140 BAR / 000 PSI	124 BAR / 1800 PSI	207 BAR / 3000 PSI	240 BAR / 3500 PSI
Flow Rate:	2.9 GPM / 13.2 LPM	2.9 GPM / 13.2 LPM	3.3 GPM / 15 LPM	3.3 GPM / 15 LPM
Engine:	Yanmar L48	Honda GX200	Yanmar L100V	Honda GX390
Drive:	Industrial Gearbox	Industrial Gearbox	Triple V-belt	Triple V-belt
Pump:	CAT Pump	CAT Pump	CAT Pump	CAT Pump
Delivery Hose:	10m Double Braided	10m Double Braided	15m Double Braided	15m Double Braided
Weight:	456kg	430kg	548kg	480kg
Dimensions: (LxWxH)	345 x 160 x 160cm	345 x 160 x 160cm	345 x 160 x 160cm	345 x 160 x 160cm




BRENDON
HOT BOWSERWASHER

80°C 3200 PSI / 220 BAR - 345 BAR / 5000 PSI

Full Spec

Get Quote

United Kingdom
Patent No. 2444477



Removable Long Life Brendon Heater Module

Easy Disconnect To Service & Still Use As A Cold Bowserwasher.







FEATURES

- **Hot Water Bowserwasher: Patented Heater Module technology increases lifespan and reduces servicing time.**
- **High-Temperature Cleaning: Reaches 80°C for effective grease and grime removal.**
- **Baffled Water Tank: 700L UV-protected polypropylene tank with 10mm thickness. On board Anti-Freeze and Chemical systems.**
- **Model Options: Available as a 3200 PSI Diesel or 5000 PSI Petrol model.**
- **Built To Last - Heavy-duty tubular chassis for enhanced durability.**
- **Customisable Colours - In-house powder coating providing a choice of colours for all steel parts.**
- **Engine Options: Available with Honda Petrol or Yanmar Diesel Electric & Recoil Start.**
- **Hitch Types: Available with 50mm Ball or 40mm Ring Hitch.**
- **Option: Alko Adjustable Swan Hitch with 50mm Ball and 68mm Ring Hitch.**







Specifications	HWBBW35KPE+ES	HWBBW32KLV+ES	HWBBW50KPE-VT
Max Pressure:	240 BAR / 3500 PSI	220 BAR / 3200 PSI	345 BAR / 5000 PSI
Flow Rate:	2.7 GPM / 12.5 LPM	2.7 GPM / 12.5 LPM	2.7 GPM / 12.5 LPM
Drive:	Triple V-belt	Triple V-belt	Triple V-belt
Pump:	CAT Pump	CAT Pump	CAT Pump
Delivery Hose:	20m Double Braided	20m Double Braided	20m Double Braided
Weight:	800kg	785kg	800kg
Dimensions: (LxWxH)	345 x 160 x 160cm	345 x 160 x 160cm	345 x 160 x 160cm



BRENDON
QUIET BOWSERWASHER

3000 PSI / 207 BAR - 5000 PSI / 350 BAR (70 dB(A) at 7m & 78 dB(A) 1M

Full Spec

Get Quote







FEATURES

- *Quiet Technology: Operates at a hushed decibel level, quieter than the cleaning nozzle, ideal for residential and noise-sensitive areas.*
- *Powerful Performance: Delivers 3000-5000 PSI for efficient cleaning without compromising on power.*
- *Kubota Water Cooled Electric start diesel engine.*
- *Simple Servicing: Noise protection canopy at the front opens easily, providing convenient access for maintenance.*
- *Noise-Free Cleaning: Reduces disruption to surroundings while offering a more comfortable user experience.*

BRENDON QUIETEC







Specifications	30KDQ	40KDQ	50KDQ
Max Pressure:	207 Bar / 3000 PSI	280 Bar / 4000 PSI	350 Bar / 5000 PSI
Flow Rate:	3.3 GPM / 16 LPM	3.3 GPM / 16 LPM	3 GPM / 13.5 LPM
Drive:	Triple V-belt	Triple V-belt	Triple V-belt
Pump:	CAT Pump	CAT Pump	CAT Pump
Delivery Hose:	20m Double Braided	20m Double Braided	20m Double Braided
Weight:	678kg	678kg	678kg
Dimensions (LxWxH):	345 x 160 x 160cm	345 x 160 x 160cm	345 x 160 x 160cm

BRENDON
ELECTRIC BOWSERWASHER

3000 PSI / 207 BAR @ 16 LPM

Full Spec ***Get Quote***







FEATURES

- ***Ultra Quiet Operation - Operates at just 82dBa at 1 meter, perfect for noise sensitive environments.***
- ***Versatile Pressure Settings - Offers Variable Speeds for a range of cleaning tasks.***
- ***Extended Run Time: Delivers up to 6 hours of continuous cleaning at lower pressures.***
- ***Safety Features: Equipped with high-pressure leak detection shutdown to prevent damage and automatic limp mode at 5% Battery.***
- ***Effortless Battery Access - The entire front motor and canopy are designed to lift smoothly on a hinge, providing quick and convenient access to the batteries for maintenance or replacement.***



Specifications	BBW30KLI
Pressure Settings:	(SETTING 1 - 1000PSI / 70 BAR) (SETTING 2 - 2000PSI / 140 BAR) (SETTING 3000PSI / 207 BAR)
Volume:	3.3GPM / 16 LPM
Pump:	CAT 45F
Motor:	7Kw 52 Volt IPM Motor
Drive:	Belt Driven
Battery:	52V LI-Ion x2
On Board Charging:	110/240V 16amp Phase 1
Shutdown Protections:	Low Water Level Stop, Leak Detection
Variable Speed:	Simple Speed Setting Selection Switch
Noise Level:	81 d(BA) at 1m
EU WVTA:	Yes
Weight & Dimensions: (LxWxH)	650Kg 345 x 160 x 160cm



BRENDON
BOWSER JETTER

3000 PSI / 207 BAR @ 36 LPM

Full Spec ***Get Quote***



FEATURES

- ***3000 PSI at 36 LPM Drain Jet: Quickly switch to a powerful drain jetting unit for efficient cleaning.***
- ***Drain Jetting Hose: Equipped with 90m of 3/8" drain jetting hose for extended reach.***
- ***High-Pressure Hose: Includes 30m of double-braided 3/8" HP hose.***
- ***Engine: Honda GX630 V-Twin***
- ***Push-Button Start: Easy start system.***
- ***Fast Fill Option: Includes a 6m 2" suction hose for quick refills from external water sources.***
- ***12Vdc Electric Rear Reel: Simplifies hose management during operation. (Optional)***
- ***Switchable Modes: Easily switch between drain jetting and powerwashing functions.***
- ***Electric Start & Adjustable Pressure: Convenient electric start and adjustable pressure for optimal performance.***



Specifications	BBW30KPE+ES-VT
Max Pressure:	207 BAR / 3000 PSI
Volume:	7.9 GPM / 36 LPM
Pump:	Speck Pump Or Inter Pump
Engine:	Petrol Honda GX390 with electric & recoil start
Drive:	Triple V-belt drive
Supply:	940-litre water tank, 28-litre detergent tank, and 15-litre anti-freeze tank
Delivery Hose:	30m of 3/8" double braided hose with couplings
Weight & Dimensions: (LxWxH):	575kg | 345 x 150 x 135cm

BRENDON

ULTRA HIGH BOWSERWASHER

5000 PSI / 350 BAR - 7250 PSI / 500 BAR

Full Spec

Get Quote







FEATURES

- Pressure Range: Cleaning power 5000 PSI (350 Bar), or 7000 PSI (500 Bar)
- Baffled Water Tank: 940L UV-protected polypropylene tank with 10mm thickness.
- Robust Tubular Frame: Heavy-duty tubular frame for tank and powerwasher protection.
- Rear Hose Reel: Manual or 12V DC electric hose reel supporting 30m-100m of high-pressure hose.
- Industrial Pump and Drive System: 2:1 gearbox drive for slower pump operation, enhancing durability.
- Protective Canopy: Steel frame canopy with polypropylene cover to shield pump and valves from the elements.
- High Pressure Turbo Nozzle and Low Pressure Lance options.
- Ultra High Pressure - Paint Removal. Concrete and surface preparations.
- Adjustable Pressure: Throttle control for easy pressure regulation.





Specifications	BBW50KPE-VT	BBW70KPE-VT:
Max Pressure:	350 Bar / 5000 PSI	500 Bar / 7250 PSI
Volume:	3.5 GPM / 16 LPM	3.3 GPM / 15 LPM
Pump:	CAT pump	Interpump / Speck Pump Options
Engine:	Honda GX630 Electric Start with Oil Alert	Honda GX630 Electric Start with Oil Alert
Drive:	Triple V-Belt Drive	Industrial 2:1 gearbox drive
Supply:	940-litre water tank, 28-litre detergent, 15-litre anti-freeze	940-litre water tank, 28-litre detergent, 15-litre anti-freeze
Delivery Hose:	30m of 3/8" double braided hose with couplings	30m of 3/8" double braided delivery hose with couplings
Weight:	530kg	545kg
Dimensions: (LxWxH)	345 x 151 x 135cm	345 x 151 x 135cm

BRENDON BOWSER

1000 Litre Tank - Fully Road Legal

Full Spec

Get Quote







FEATURES

- *Pump Option - Choose from water storage bowser or water bowser with water pump.*
- *Built to last - Industrial Tubular Protection Frame.*
- *In your colour - High Quality Protective Powder Coat Finish.*
- *Mobile Water Source - Road Legal bowser trailer to get to difficult industrial jobs or sites.*
- *Plant Watering Lance Option - Perfect attachment for Horticultural jobs.*





Specifications	BBTHP100	BBT100
Supply:	1000 Litre Water Tank	1000 Litre Water Tank
Pump:	Honda Engine, Hidels Pump SEH-25H	
Flow Rate:	2.9 GPM / 13.2 LPM	
Weight:	375Kg	364Kg
Dimensions: (LxWxH)	312 x 160 x 127cm	312 x 160 x 127cm




BRENDON

FIRE FIGHTER BOWSERWASHER

500 LPM / 133 GPM

Full Spec

Get Quote



Easy Switch to Powerwasher

Easily convert from Fire-Fighting Unit to Powerwasher Unit







FEATURES

- **Switchable Fire Unit to Powerwasher: Quickly converts from a fire-fighting unit to a powerful powerwasher.**
- **30m Fire Hose-Reel Kit: Equipped with a 30-metre fire hose reel for efficient fire control.**
- **Push Button Start: Easy and reliable push-button start for both petrol and diesel engines.**
- **Road Legal: Fully compliant with road regulations across the UK, EU and Australia.**
- **1000-Litre Polypropylene Baffled Tank: Prevents water sloshing and imbalance while towing, ensuring stability.**
- **Rapid Water Fill: Fast-fill option with a 6m 2" suction hose enables refills in just 2 minutes from external water sources.**
- **Customisable Colours: Manufactured and powder-coated in your chosen colours.**





Specifications	BBFP1000HP	BBFP1000YD
Engine:	Petrol - GX200 Honda	Diesel - Yanmar L48
Flow Rate:	133 GPM / 500 LPM	133 GPM / 500 LPM
Drive:	Industrial Gearbox	Industrial Gearbox
Pump:	Koshin	Koshin
Suction Hose:	6m	6m
Delivery Hose:	30m	30m
Weight:	466kg	515kg
Dimensions: (LxWxH)	345 x 160 x 180cm	345 x 160 x 180cm

BRENDON

BOWSERWASHER ATTACHMENTS



1. DUST SUPPRESSION

Rear Mounted Mist Canon



2. HOSE EXTENSION

Rear Mounted Reel with up to 75m Hose



3. PROTECTION COVER

Weather Protection Tarpaulin Cover to protect engine



4. WHALE TAIL

Wide Spread Dust Suppression Jet



5. SECURITY PIN

Added Bowser Security for peace of mind on site



6. LIGHT GUARD KIT

Protect LED Lights from Damage




7. FORK LIFT POINTS

Rear Fork Lift Points for added mobility



8. SPRAY BAR


Rear 6x Nozzle Spray Bar Dust Suppression



BRENDON
DUST SUPPRESSION

Full Spec

The Brendon Powerwashers Range of Dust Suppression units and accessories. Dust suppression powerwashers offer significant benefits, particularly in industrial and construction settings where dust control is essential. These machines efficiently reduce airborne dust by combining high-pressure water jets with specialised nozzles to target dust-prone areas.



DUSTEC BOLT-ON

The DT400 Dust Suppression kit can be mounted to one of our Brendon Bowserwashers offering the customer a truly versatile Dust Suppression machine for cleaning and dust or odour suppression. Can be used with any Brendon Powerwasher producing 100 to 250 Bar at flow rates from 12 to 25 Llitres per min.

WHALE TAIL

The Brendon High Volume Whale Tail is Ideal for wide area track Dust Suppression. Emitting a spray upwards and wide, this is the peferct attachment for dust suppression on fields, building sites and industrial jobs.

SPRAY BAR

Convert your unit into a towable dust suppression bowser with a stainless steel high-pressure spray bar, featuring a 3-way lever valve for easy on/off control. Ideal for dusty fields, quarries, or demolition sites, the spray bar includes 6 nozzles for wide surface coverage.

DUSTEC MOBILE

The Brendon DT400 Dust Suppression is a light weight mobile machine and can be used up to 75M away from the powerwasher making it ideal for the changing dust conditions on construction and demolition sites and without the need for electrical power supply.



Sydney Australia
Metro Tunnel 2024

BRENDON ACCESSORIES

Bowserwasher accessories are designed to enhance the versatility of your Brendon Powerwasher, offering practical solutions for a variety of tasks. These include options for transforming your washer into a hot water unit with deeper cleaning with heated water. Accessories such as surface cleaners and drain reels expand capabilities, making it easier to tackle large flat areas or clean industrial drains. For specialised needs, dust suppression tools provide powerful solutions for removing dust on construction sites. Additional options include the gulper kit for sludge removal and extended hose reels for greater reach.






HOT BOX

Turn your Brendon Powerwasher into a Hot Water Power Washer by using this Inline Boiler Solution. Allows you to have a hot water Brendon Powerwasher using this inline Boiler Unit. Can be used with our range from 103 BAR - 207 BAR (MAX) Will heat to a maximum 120°C.



SURFACE CLEANING

Brendon's Mosmatic Flat Surface Cleaner. Has a 520mm working width with bristle skirt allowing for fast cleaning of large areas. Ideal for block pavers, patios & other large flat surfaces. Use with Brendon 20 & 30/35 Range Models.



DRAIN REEL

Industrial drain cleaning up to 30 Meters. Ideal for 4" & 6" Pipework with shorter runs to 8" or even gutter cleaning. Use with the Brendon 20 & 30/35 Ranges.



SANDBLASTING

For operation with a Brendon Powerwasher, Drawing dry abrasive and mixing with the high pressure water. Perfect for jobs such and rust and paint removal. Ideally suited to the models of 200 BAR or above.




DUST SUPPRESSION

The Brendon DT400 Dust Suppression is a light weight mobile machine and can be used up to 75M away from the powerwasher making it ideal for the changing dust conditions on construction and demolition sites and without the need for electrical power supply. Can be used with any powerwasher producing 100 to 250 BAR at flow rates from 12 to 25 Ltrs/min..



GULPER KIT

The Brendon Gulper Kit turns your washer into a sludge pump, ideal for removing dirty or clean water from ponds, lakes, and rivers. With no moving parts, it uses a venturi system to suction liquids and solids up to 25mm. Simply connect it to your Brendon power washer, and you're ready to go.



HOSE EXTENTION

The Brendon Range of Extension Reels & powerwasher hose allows you to extend your work area by up to an additional 75 Meters. Hose Reels can be fitted with either 50m or 75m of high quality, double braided delivery hose.



SHIPPING OPTIONS

We offer shipping services across the UK, Europe, and even as far as Australia, ensuring our products reach you wherever you are. Explore our options for large machine imports below to find the best option for you. Contact us for shipping Quotes and pricing.

Specifications	FULLY BUILT UNITS ARTIC LORRY	FULLY BUILT UNITS 20FT CONTAINER	KIT FORM UNITS 20FT CONTAINER	FULLY BUILT UNITS 40FT CONTAINER	KIT FORM UNITS 40FT CONTAINER
Max Trailer:	6 UNITS	2 UNITS	6 UNITS	4 UNITS	12 UNITS
Max Mobiles: (With Trailers)	4 UNITS	3 UNITS	4 UNITS	6 UNITS	8 UNITS
Countrys:	UK & EUROPE	WORLD WIDE	WORLD WIDE	WORLD WIDE	WORLD WIDE
Description:	Up to 6x Brendon Bowserwashers Rolling or Up to 5x Palletised.	Roll straight out the container.	Full Instructional training video on how to put kits together will also be sent to you.	Roll straight out the container.	Full Instructional training video on how to put kits together will also be sent to you.

CONTACT US

UK HEAD OFFICE

+44 01984 624 500
SALES@POWERWASHERS.CO.UK

Brendon Powerwashers
Hillsmoor, Off Sandys Moor
Taunton Road
Wiveliscombe
Taunton
Somerset
TA4 2TU

UK SALES

+44 01984 624 500
SALES@POWERWASHERS.CO.UK
POWERWASHERS.CO.UK

UK PARTS

+44 01984 624 500
SPARES@POWERWASHERS.CO.UK
BRENDONSTORE.CO.UK

BRENDON POWERWASHERS®

BUILT TO LAST... DESIGNED TO PERFORM



Brendon Powerwashers, Hillsmoor, Off Sandys Moor, Taunton Road, Wiveliscombe, Somerset, TA4 2TU

Brendon Ltd is a registered company in England & Wales number 02291340.
VAT Registration Number: GB 515703563

v.1.01.25

+44 01984 624 500 | SALES@POWERWASHERS.CO.UK